PAVIGYM
THE BASIS OF FITNESS

CARDIO AREA

TECHNICAL DATA SHEET

PAVIGYM
PERFORMANCE+

100% resistance and elegance for cardio, fitness & functional training area.

CARDIO AREA

PAVIGYM PERFORMANCE+

Best biomechanical and sport properties for your gym. Design, elegance, resistance, elasticity an friction to prevent equipment from sliding, reduce noise & vibration and resist indentations.

TECHNICAL INFORMATION

Weight		5,6 kg
Density	UNE-53526	1.400 kg/m^3
Hardness	din 53505	80° Shore A
% water absorption	ASTM D570	0%
Coef. linear dilatation	0°C-40°C	1,5 10^{-4} °C^{-1}
Fire classification	EN 13501-1	Bfl-s1
Sound insulation	ISO 10140-3	18,4 dB

COMPARATIVE CHART

	PAVIGYM PERFORMANCE	REC. RUBBER (ROLLS)	LAMINATED	CARPET	LINOLEUM	CERAMIC
Comfort	***	***	**	****	***	*
Vibration absoprtions	***	***	*	***	***	*
Marks resistance	****	***	*	*	**	****
Sound insulation	****	***	*	**	***	*
Thermal insulation	***	**	***	****	***	*
Durability	*****	***	*	*	**	*****
Hygienic/Anti-bacterial protection	*****	**	****	*	***	*****
Easy to install	*****	**	**	**	**	*
Easy to repair/replace	*****	**	*	*	**	**

COLOURS

PAVIGYM **LIME**


PAVIGYM **ORANGE**

PAVIGYM **CYAN**

PAVIGYM **RED**

PAVIGYM **MAGENTA**

PAVIGYM **PURPLE**


PAVIGYM **WENGUE**


PAVIGYM **WALNUT**


PAVIGYM **A. BROWN**


PAVIGYM **BEECHWOOD**


PAVIGYM **B. MARBLE**


PAVIGYM **JET BLACK**


PAVIGYM **STONE GREY**

**The appearance and color of these images may differ slightly from the final product.*

INTERLOCKING SYSTEM

To avoid product counterfeiting, our tiles are marked with the Pavigym logo.



VIRGIN RUBBER MOLECULE PERFECT POLYMERIC CHAIN

CARDIO AREA

PAVIGYM PERFORMANCE+

RAW MATERIAL

Virgin rubber

100% reciclable

Not recycled rubber

PVC free

Bfl Certificate

(Flames do not spread, nor generate toxic smokes)



BENEFITS

OUR BEST PRICE OPTION FOR VIRGIN RUBBER FLOORING.

1

Tear resistance

Virgin rubber is 6 times more resistant than recycled rubber from tyres, it is practically unbreakable.

2

Anti-slip surface

Prevents movement of machines & equipment.

3

Resistant to marks

Thanks to its high density, it prevents machines and equipment from marking the floor.

4

Reduces noise and sound vibration

It helps to create a more comfortable environment for the user and other people within the building.

5

Hygienic conditions

No migrations: No transfer of chemicals to the surface as happens in recycled rubber tiles.

No poroso: No liquids leak through, easy to clean, no mould, no bad odour.

6

Easy to install

- No adhesive required
- Easy to change, tile by tile
- Huge time & cost saving

7

Aesthetics

- Personalised designs with logos and markings.
- Available in 13 colours.

CARDIO AREA

PAVIGYM PERFORMANCE+